	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	0	((side emitting optoelectronic) and heatsink and (reflector with surround$4 optoelectronic) and (arc with opening)).clm.	US-PGPUB	2005/11/18 17:33
2	BRS	L2	0	(((side emitting) with (light source)) and heatsink and (reflector with surround$4 optoelectronic) and (arc with opening) and (second reflector)).clm.	US-PGPUB	2005/11/18 17:37
3	BRS	L3	0	(((side emitting) with (light source)) and heatsink and ((multi facet$3 reflector) with surround$4 with (light source)) and (arc with opening) and (second reflector)).clm.	US-PGPUB	2005/11/18 17:39

	Type	Hits	Search Text	DBs
1	IS&R	22	(("4,384,268") or ("5,404,869") or ("5,440,197") or ("5,557,493") or ("5,577,492") or ("5,585,783") or ("5,613,769") or ("5,655,832") or ("5,676,453") or ("5,677,972") or ("5,684,354") or ("5,721,795") or ("5,757,557") or ("5,806,955") or ("5,892,325") or ("5,924,788") or ("5926320") or ("6,007,209") or ("6,043,591") or ("6,086,220") or ("6,126,299") or ("6,134,092") or ("6,166,860") or ("6,177,761") or ("6,181,476") or ("6,598,998") or ("6,607,286")).PN.	USPAT
2	IS&R	0	("(sideemit$5)with((lightemit$6diod$4)or"LED")").PN.	USPAT
3	BRS	620	(side emit$5) with ((light emit$6 diod$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	75	S3 and reflector and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	224	S3 and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	149	S6 not S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	13	high intensity direction$4 light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	411	S3 and "13"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	2	S3 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	48	(high intensity) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	37	(high intensity) and S3 and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
12	IS&R	40	(("1,711,478") or ("3,427447") or ("3.736427") or ("3,760,237") or ("4050,775") or ("4,092,705") or ("4,241,382") or ("4,460,939") or ("4,603,496") or ("4,654,758") or ("4,712,163") or ("4,743,094") or ("4,965,488") or ("5,142,387") or ("5,406462") or ("5,509,095") or ("5541,746") or ("5,574,328") or ("5,695,277") or ("5,813,752") or ("5,847,507") or ("5,912,741") or ("5,962,971") or ("5,998,925") or ("6,084,250") or ("6,155,699") or ("6161,946") or ("6204,523") or ("6,236514") or ("6,255,670") or ("6,294,800") or ("6,332,688") or ("6,357,889") or ("6,404,131") or ("6,501,100") or ("6,502,952") or ("6,578,998") or ("6,666,565") or ("6,132,072") or ("6,441,943") or ("6,728,393")).PN.	USPAT
13	BRS	2	S3 and (strob$4 (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	7024	(strob$4 (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	477417	((light emit$6 diod$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	1746	S15 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	355	S15 and S16 and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	41	S15 and S16 and reflector and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	0	("2004/0046676").URPN.	USPAT
20	IS&R	5	(("5,175,528") or ("6483,439") or ("4,027,150") or ("4,654,629") or ("6,476,726")).PN.	USPAT
21	BRS	52	362/800.ccls. and 362/296,297,302,346,347.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	122	S3 and "362"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	75	S3 and "362"/$.ccls. and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	113	S3 and "362"/$.ccls. and reflect$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	11	S3 and "340"/$.ccls. and reflect$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	130	S3 and "257"/$.ccls. and reflect$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
27	BRS	221	S25 or S26 or S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	45	S28 and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	176	S28 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	IS&R	1	("6543911").PN.	USPAT
31	BRS	4744	(side emit$5) with (light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	3055	S32 and reflect$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	22	S32 and (reflect$4 with coaxial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	2	(side emit$5) with (strobe (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	0	(side emit$5) (strobe (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	12	(side emit$5) and (strobe (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	14	(side emit$5) and (safety (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	26	S37 or S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	1723	(side emit$5) and ((direct$5 or warn$6) (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	181	(side emit$5) with ((direct$5 or warn$6) (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	146	(side emit$5) with ((direct$5 or warn$6) (light or lamp)) and reflect$$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	146	(side emit$5) with ((direct$5 or warn$6) (light or lamp)) and reflect$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	85	340/985.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	IS&R	1	("5929788").PN.	USPAT
45	BRS	1169	340/471,473,981,908,984.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

46	BRS	2	340/471,473,981,908,984.ccls. and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
47	BRS	147	340/471,473,981,908,984.ccls. and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	277	340/471,473,981,908,984.ccls. and reflect$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	106	("1129106" | "1608348" | "1854302" | "1951729" | "2359187" | "2442506" | "2461254" | "2487591" | "2509438" | "2510873" | "2515406" | "2544378" | "2719282" | "2734129" | "2762994" | "2810065" | "2830002" | "2846663" | "3001061" | "3066219" | "3108751" | "3152767" | "3179791" | "3283143" | "3292287" | "3309661" | "3404371" | "3408624" | "3435203" | "3543234" | "3546669" | "3622979" | "3645601" | "3696238" | "3706968" | "3723725" | "3739336" | "3764799" | "3920981" | "4006377" | "4020047" | "4028542" | "4034217" | "4041306" | "4053766" | "4118766" | "4142179" | "4172275" | "4177504" | "4183622" | "4244599" | "4261029" | "4375634" | "4447865" | "4506317" | "4543622" | "4558299" | "4577178" | "4626966" | "4754272" | "4777568" | "4780799" | "4796169" | "4799136" | "D189429" | "D202842" | "D221299" | "D228571" | "D278319" | "D286988" | "D286989").PN.	US-PGPUB; USPAT; USOCR
50	BRS	0	("RE36790").URPN.	USPAT
51	BRS	0	("RE36790").URPN.	USPAT
52	IS&R	1	("6642856").PN.	USPAT
53	IS&R	1	("6483439").PN.	USPAT
54	BRS	6	"612225".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	9	"6483439"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	5076	(light or lamp) with (side emit$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	371	S57 and (heat (sink or remov$6 or dissipat$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	326	S57 and (heat (sink or remov$6 or dissipat$7)) and reflect$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	246	S58 and @ad < "20020919"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	1225	(light or lamp) same (side emit$7) same direction$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
61	BRS	121	S61 and (heat (sink or remov$6 or dissipat$7)) and reflect$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	3209	reflector with surround$5 with (light or (light source) or bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	10933	reflect$5 with surround$5 with (light or (light source) or bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	271	S57 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	458532	(light or lamp) with (direct$6 or (side emit$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	6	(light (output or exit) window) with acr$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	8	(light (output or exit) window) with arc$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	21	(light (output or exit) (window or open$4 or apertur$4)) with arc$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	38	(light (output or exit) (window or open$4 or apertur$4)) same arc$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	31	S66 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	7911	S66 and "340"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	19746	S66 and "362"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	177	S66 and "246"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	270	S66 and "114"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	IS&R	1	("4931768").PN.	USPAT
76	BRS	51	("1854302" | "2719282" | "2762994" | "2810065" | "2846663" | "3066219" | "3108751" | "3179791" | "3292287" | "3309661" | "3404371" | "3408624" | "3543234" | "3546669" | "3723725" | "3739336" | "4020047" | "4118766" | "4142179" | "4244599" | "4375634" | "4506317" | "4543622" | "4577178" | "4626966" | "4754272" | "4780799" | "D189429" | "D202842" | "D221299" | "D228571" | "D286988" | "D286989").PN.	US-PGPUB; USPAT; USOCR
77	BRS	15	("4931768").URPN.	USPAT
78	BRS	17	("3179791").URPN.	USPAT

	Type	Hits	Search Text	DBs
79	BRS	15	("4931768").URPN.	USPAT
80	BRS	7424	362/477,493,510,514,294,517,253,301,302,303, 296,297,346,349,373,800,545,547,.ccls.	USPAT
81	BRS	3064	340/901,908.1,815.45,908,981,984,985,468,321 ,383,277,472,468,471,478,83,473.ccls.	USPAT
82	BRS	169	246/473.3.ccls.	USPAT
83	BRS	492	114/343.ccls.	USPAT
84	BRS	10881	S81 or S82 or S83 or S84	USPAT
85	BRS	4419	S85 and S66	USPAT
86	BRS	107	S85 and S57	USPAT
87	BRS	0	S87 and S69	USPAT
88	BRS	486	S87 and S64	USPAT
89	BRS	469	S90 and @ad < "20020919"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	290	navigat$5 (light or lamp)	USPAT
91	BRS	13	("1269426" | "1801864" | "3192376" | "4245281" | "4360859" | "4809138" | "4856452" | "5023760" | "5075834" | "5119068").PN.	US-PGPUB; USPAT; USOCR
92	BRS	8	("5285359").URPN.	USPAT
93	BRS	2	("2536533").PN.	US-PGPUB; USPAT; USOCR
94	BRS	1	("3757104").URPN.	USPAT
95	BRS	0	mohacsi-ferene.in.	USPAT
96	BRS	5	mohacsi-ferenc.in.	USPAT
97	IS&R	1	("5285359").PN.	USPAT
98	IS&R	1	("4931768").PN.	USPAT
99	BRS	497970	(light emit$6 diod$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	149570	(light emit$6 diod$4) or "LED" and (heat sink) and (frusto conical) and spher$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	55363	S101 and reflect$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	83	((light emit$6 diod$4) or "LED" and (heat sink) and (frusto conical) and spher$7) with reflector with surround$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	7073	optoelectronic and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	BRS	0	S104 and (heat sink) and (frusto conical) and spher$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
105	BRS	3639	S104 and reflect$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
106	BRS	296	S104 and reflect$5 and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

| 107 | BRS | 82 | S104 and reflect$5 and (heat sink) and lamp | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

	Type	Hits	Search Text	DBs
108	BRS	82	S104 and reflect$5 and (heat sink) and lamp and ((side emit$6) or direct$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	BRS	8048	optoelectronic device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
110	BRS	269	optoelectronic device with defin$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
111	BRS	14	optoelectronic device with definition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
112	BRS	228202	(emergency or signal or direct$6 or (side emit$6) or navigat$6) (light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
113	BRS	497970	(light emit$6 diod$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
114	BRS	47470	S113 and S114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	31965	S115 and reflect$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	7296	S114 and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	BRS	1349	S115 and reflect$5 and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
118	BRS	920	S115 and reflect$5 and (heat sink) and (red or green or white or color$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
119	BRS	68	S115 and (reflect$5 with facets) and (heat sink) and (red or green or white or color$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	BRS	648	S115 and reflect$5 and (heat sink) and (red or green or white or color$4) and ((light output) open$6 or hole or aperture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
121	BRS	41	S115 and (conical reflect$5) and (heat sink) and (red or green or white or color$4) and ((light output) open$6 or hole or aperture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
122	BRS	665	S120 or S121 or S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
123	BRS	426	S123 and @ad < "20020919"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
124	BRS	114521	(emergency or signal or navigat$6) (light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
125	BRS	67500	S125 and (direct$6 or (side emit$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
126	BRS	2158	S125 and (direct$6 or (side emit$6)) and optoelectronic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
127	BRS	133	S125 and (direct$6 or (side emit$6)) and optoelectronic and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
128	BRS	85	S128 and @ad < "20020919"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
129	BRS	57396	S126 and @ad < "20020919"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
130	BRS	0	S130 and (optoelectonic with heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
131	BRS	1098	S130 and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
132	BRS	0	S130 and (heat sink) and relfctor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
133	BRS	52	S130 and (heat sink) and reflector and conical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
134	BRS	257	S130 and (heat sink) and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
135	BRS	7424	362/477,493,510,514,294,517,253,301,302,303, 296,297,346,349,373,800,545,547,.ccls.	USPAT
136	BRS	3064	340/901,908.1,815.45,908,981,984,985,468,321 ,383,277,472,468,471,478,83,473.ccls.	USPAT
137	BRS	169	246/473.3.ccls.	USPAT
138	BRS	492	114/343.ccls.	USPAT
139	BRS	10881	S136 or S137 or S138 or S139	USPAT
140	BRS	0	S140 and (optoelectonic with heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
141	BRS	67500	S125 and (direct$6 or (side emit$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
142	BRS	760	S125 and (side emit$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
143	BRS	53	S125 and (side emit$6) and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
144	BRS	7424	362/477,493,510,514,294,517,253,301,302,303, 296,297,346,349,373,800,545,547.ccls.	USPAT
145	BRS	6070	S140 and (direct$6 or (side emit$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
146	BRS	201	S140 and (direct$6 or (side emit$6)) and reflector and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
147	BRS	538	362/35.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
148	BRS	1	S148 and (side emit$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
149	BRS	235	S148 and (direct$6 or (side emit$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
150	BRS	9	("2810065" | "2846663" | "3139604" | "3633161" | "3710098" | "3764799").PN.	US-PGPUB; USPAT; USOCR
151	BRS	15	("4104615").URPN.	USPAT
152	IS&R	1	("5694112").PN.	USPAT
153	BRS	10	("2179899" | "2938192" | "3551676" | "3764799" | "4357595" | "4527158" | "4621253").PN.	US-PGPUB; USPAT; USOCR
154	BRS	24	("5694112").URPN.	USPAT
155	IS&R	1	("3757104").PN.	USPAT
156	BRS	2	("2536533").PN.	US-PGPUB; USPAT; USOCR
157	BRS	1	("3757104").URPN.	USPAT
158	IS&R	1	("1951729").PN.	USPAT
159	BRS	2	("1951729").URPN.	USPAT
160	IS&R	1	("4931768").PN.	USPAT
161	BRS	51	("1854302" | "2719282" | "2762994" | "2810065" | "2846663" | "3066219" | "3108751" | "3179791" | "3292287" | "3309661" | "3404371" | "3408624" | "3543234" | "3546669" | "3723725" | "3739336" | "4020047" | "4118766" | "4142179" | "4244599" | "4375634" | "4506317" | "4543622" | "4577178" | "4626966" | "4754272" | "4780799" | "D189429" | "D202842" | "D221299" | "D228571" | "D286988" | "D286989").PN.	US-PGPUB; USPAT; USOCR
162	BRS	51	("1854302" | "2719282" | "2762994" | "2810065" | "2846663" | "3066219" | "3108751" | "3179791" | "3292287" | "3309661" | "3404371" | "3408624" | "3543234" | "3546669" | "3723725" | "3739336" | "4020047" | "4118766" | "4142179" | "4244599" | "4375634" | "4506317" | "4543622" | "4577178" | "4626966" | "4754272" | "4780799" | "D189429" | "D202842" | "D221299" | "D228571" | "D286988" | "D286989").PN.	US-PGPUB; USPAT; USOCR
163	BRS	15	("4931768").URPN.	USPAT
164	BRS	17	optoelectronic light emitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
165	BRS	8	(optoelectronic light emitter) same S114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

166	BRS	0	(optoelectronic light emitter) same S114 same incandescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB .

	Type	Hits	Search Text	DBs
167	BRS	0	(optoelectronic light emitter) and S114 and incandescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
168	BRS	11752	S114 and incandescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
169	BRS	6957	S114 with incandescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
170	BRS	1156	(S114 with incandescent) and S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
171	BRS	855	(S114 with incandescent) and S126 and reflect$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
172	BRS	125	(S114 with incandescent) and S126 and reflect$6 and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
173	BRS	0	(S114 with "or" with incandescent) and S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
174	BRS	1	(S114 same "or" same incandescent) and S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
175	BRS	3859	257/98-100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
176	BRS	2440	257/98-100.ccls. and (optoelectronic or S114)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
177	BRS	146	257/98-100.ccls. and (optoelectronic or S114) and (side emit$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
178	BRS	12	("4781960" | "4897602" | "4897769" | "5122943" | "5331512" | "5764486" | "5807122" | "5857767" | "5865529" | "5977566" | "6136627" | "6371637").PN.	US-PGPUB; USPAT; USOCR
179	BRS	0	("6677707").URPN.	USPAT
180	BRS	12	("4125777" | "4445132" | "4550333" | "5335361" | "5504349" | "5753929" | "5814871" | "6008529" | "6091084" | "6180962" | "6184543" | "6365920").PN.	US-PGPUB; USPAT; USOCR
181	BRS	0	("6627922").URPN.	USPAT
182	BRS	677	S114 with (side emit$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
183	BRS	57	S176 and S183	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
184	BRS	498640	((light emit$6 diod$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
185	BRS	1	(side emit$6) with (incandescent bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
186	BRS	97	side emit$6 light source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
187	BRS	677	(side emit$6) with S186	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
188	BRS	239	(side emit$6) ((light emit$6 diod$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
189	BRS	677	S188 or S189	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
190	BRS	233	S190 and color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
191	BRS	7002	S186 with incandescen$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
192	BRS	0	S186 with "or" with incandescen$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
193	BRS	4900	S192 and lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
194	BRS	1549	S186 with (incandescent bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
195	BRS	1047	S186 near4 (incandescent bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
196	BRS	349	S186 near4 (incandescent bulb) and 362?$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
197	BRS	349	S186 near4 (incandescent bulb) and "362"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
198	BRS	246	S198 and @ad < "20020919"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
199	BRS	7515	362/477,493,510,514,294,517,253,301,302,303, 296,297,346,349,373,800,545,547.ccls.	USPAT
200	BRS	3102	340/901,908.1,815.45,908,981,984,985,468,321 ,383,277,472,468,471,478,83,473.ccls.	USPAT
201	BRS	4078	257/98-100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
202	BRS	14405	S200 or S201 or S202	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
203	BRS	9492	S203 and @ad < "20020919"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
204	BRS	734	(side emit$5) with ((light emit$6 diod$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
205	BRS	5349	(side emit$5) with (light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
206	BRS	5419	S205 or S206	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
207	BRS	3542	S207 and reflect$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
208	BRS	26	S207 and (reflect$5 with coaxial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
209	BRS	1980	(side emit$5) and ((direct$5 or warn$6) (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
210	BRS	237	S208 and S203	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
211	BRS	41	S207 with (reflect$5 with surround$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
212	BRS	64	S207 same (reflect$5 with surround$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
213	BRS	2	"20030063476"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
214	BRS	771	(side emit$5) with ((light emit$6 diod$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
215	BRS	94	S215 and reflector and (heat sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
216	BRS	283	S215 and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
217	BRS	7643	(strob$4 (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
218	BRS	523765	((light emit$6 diod$4) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
219	BRS	152106	(direct$5 or warn$6) (light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
220	BRS	8662	optoelectronic device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
221	BRS	298	navigat$5 (light or lamp)	USPAT
222	BRS	5782	362/294,296,297,346,349,373,510,514,517,800,257.ccls.	USPAT
223	BRS	905	340/468,901,981.ccls.	USPAT
224	BRS	1755	257/98-100.ccls.	USPAT
225	BRS	8365	S223 or S224 or S225	USPAT
226	BRS	5664	S226 and @ad < "20020919"	USPAT

227	BRS	663	362/477,493,545.ccls.	USPAT

	Type	Hits	Search Text	DBs
228	BRS	296	340/984,985.ccls.	USPAT
229	BRS	941	S228 or S229	USPAT
230	BRS	624	S230 and @ad < "20020919"	USPAT
231	BRS	4	S215 and S231	USPAT
232	BRS	73	S215 and S227	USPAT
233	BRS	75	S232 or S233	USPAT
234	BRS	3	S217 and S231	USPAT
235	BRS	47	S217 and S227	USPAT
236	BRS	49	S235 or S236	USPAT
237	BRS	0	S237 not S234	USPAT
238	BRS	1253	S218 and S219	USPAT
239	BRS	1	S218 and S215	USPAT
240	BRS	166	362/477.ccls.	USPAT
241	BRS	145	362/493.ccls.	USPAT
242	BRS	296	340/984,985.ccls.	USPAT
243	BRS	469	340/984,985.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
244	BRS	44	340/984,985.ccls. and S219	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
245	BRS	153	362/477,493.ccls.	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB
246	BRS	198	optoelectronic with side with emit$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
247	BRS	19	optoelectronic with (side emit$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
248	BRS	8	(optoelectronic same (side emit$6)) and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
249	BRS	31	optoelectronic same (side emit$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB